

pfSense - Bug #2308

HFSC WebUI doesn't check for "Bandwidth" setting

03/23/2012 01:11 PM - Oliver Loch

Status:	New	Start date:	03/23/2012
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Traffic Shaper (ALBQ)	Estimated time:	0.00 hour
Target version:			
Affected Version:		Affected Architecture:	amd64

Description

Hi,

I configured pfSense todo some QoS. To get everything "firsthand" I used the HFSC module.

When configuring a HFSC queue you can add values for the "Service Curve" as shown in the attached screenshot.

If you add the realtime settings m1,d,m2 or just m2, and don't put anything inside the "Bandwidth"-field above, you can save and reload those settings.

After the reload you get error messages that say something like this:

```
php: : New alert found: There were error(s) loading the rules: pfctl: the sum of the child bandwidth higher than parent "root_em1"
pfctl: linkshare sc exceeds parent's sc /tmp/rules.debug:47: errors in queue definition pfctl: the sum of the child bandwidth higher than
parent "root_bridge1" pfctl: linkshare sc exceeds parent's sc /tmp/rules.debug:59: errors in queue definition pfctl: the sum of the child
bandwidth higher than parent "root_bridge1" pfctl: linkshare sc exceeds parent's sc /tmp/rules.debug:60: errors in queue definition
pfctl: Syntax error in config file: pf rules not loaded The line in question reads [ the sum of the child bandwidth higher than parent
"root_em1" pfctl]:
```

This comes from the fact, that the empty "Bandwidth"-field results in a pf rule like this:

```
queue wweb on em1 qlimit 500 hfsc ( realtime (10%, 10000, 5%) )
```

which doesn't hold the "bandwidth"-statement and results in an error like:

```
[2.0.1-RELEASE][root@pfSense.localdomain]/tmp(4): pfctl -nf rules.debug
pfctl: the sum of the child bandwidth higher than parent "root_em1"
pfctl: linkshare sc exceeds parent's sc
rules.debug:47: errors in queue definition
pfctl: the sum of the child bandwidth higher than parent "root_bridge1"
pfctl: linkshare sc exceeds parent's sc
rules.debug:59: errors in queue definition
pfctl: the sum of the child bandwidth higher than parent "root_bridge1"
pfctl: linkshare sc exceeds parent's sc
rules.debug:60: errors in queue definition
[2.0.1-RELEASE][root@pfSense.localdomain]/tmp(5):
```

That's because the system assumes "100%" bandwidth if the option is omitted.

The errors on line 59 and line 60 are from those lines:

```
59: queue lweb on bridge1 qlimit 500 hfsc ( realtime (10%, 10000, 6%) )
60: queue lmail on bridge1 qlimit 500 hfsc ( realtime 5% )
```

Same shit, different pile ...

It would be nice to ask the user what todo, or to just set "m2" as the "Bandwidth" of the queue as one can use "m2" alone for realtime settings without a peak.

History

#1 - 12/04/2012 07:12 PM - ahshang ang

Face same issue, i vote to solve this bug.

Files

pfsense01.png

159 KB

03/23/2012

Oliver Loch