

## pfSense - Bug #4349

### Generating IPsec entries with the option similar to this one causes bad ipsec configuration

01/30/2015 04:21 AM - Ermal Luçi

<b>Status:</b>	Resolved	<b>Start date:</b>	01/30/2015
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	Ermal Luçi	<b>% Done:</b>	100%
<b>Category:</b>	IPsec	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.2.1	<b>Affected Version:</b>	2.2
<b>Plus Target Version:</b>		<b>Affected Architecture:</b>	
<b>Release Notes:</b>	Default		

#### Description

On 2.2 of pfSense reqid is part of the configuration stored.

When from the GUI a phase2/phase1 is generated with the button similar to this one the reqid is copied around and causes issues on the generated config because more than one entry will have the same reqid.

#### Associated revisions

##### Revision 7c449a56 - 01/30/2015 01:59 PM - Ermal Luçi

Do not reuse reqid on copy of phase2 Fixes #4349

##### Revision fa776555 - 01/30/2015 01:59 PM - Ermal Luçi

Do not reuse reqid on copy of phase2 Fixes #4349

#### History

##### #1 - 01/30/2015 04:22 AM - Ermal Luçi

Also for a discussion <https://forum.pfsense.org/index.php?topic=87786.new#new>

##### #2 - 01/30/2015 01:58 PM - Ermal Luçi

Should there be upgrade code to fix this issue or not?

##### #3 - 01/30/2015 02:00 PM - Ermal Luçi

- Status changed from New to Feedback

- % Done changed from 0 to 100

Applied in changeset [7c449a56f208cb7a02c739610a8abfe11ee498be](#).

##### #4 - 01/30/2015 02:00 PM - Ermal Luçi

Applied in changeset [fa77655557586453a0279566a84d01cd25645978](#).

##### #5 - 01/30/2015 03:34 PM - Chris Buechler

probably would be good to have upgrade code to clean this up, should help fix some people's issues.

##### #6 - 02/17/2015 11:35 PM - Chris Buechler

- Status changed from Feedback to Resolved

fixed