

pfSense - Bug #6011

IPv6 link local fails HTTP REFERER check

03/18/2016 11:08 AM - Jorge M. Oliveira

Status:	Confirmed	Start date:	03/18/2016
Priority:	Low	Due date:	
Assignee:		% Done:	0%
Category:	Web Interface	Estimated time:	0.00 hour
Target version:		Release Notes:	Default
Affected Version:	All		
Affected Architecture:			

Description

On default configured pfSense, the LAN interface has the following IPv6 set by default: fe80::1:1

Trying to login over [https://\[fe80::1:1\]/](https://[fe80::1:1]/) results in the error 'An HTTP_REFERER was detected other than what is defined in System'.

This is due the following taking place.

- 1) auth.inc line 208 - `get_configured_ipv6_addresses()` is called;
- 2) util.inc line 1436 - `get_configured_ipv6_addresses()` body - it walks each interface in search of the configured IPv6;
- 3) util.inc line 1442 - `get_interface_ipv6($int)` is called. in this case the value \$int should be correct and equal to 'lan';
- 4) interfaces.inc line 5375 - `get_interface_ipv6(...)` body - it will return 'null' because the only IP that is set is the link local and 'lan' doesn't not include '_lloc' magic prefix;
- 5) auth.inc line 208 - `get_configured_ipv6_addresses()` will return an empty array
- 6) auth.inc line 209 - obviously the foreach won't be executed at all

While on `diag_command.php` page if I run:

```
echo get_interface_linklocal('lan');
```

It returns `fe80::1:1%em1`.

Fixing this bug will be somewhat tricky.

My personal trick is changing things to:

```
function get_configured_ipv6_addresses($linklocal_fallback = false)
function get_interface_ipv6($interface = "wan", $flush = false, $linklocal_fallback = false)
```

And change some code to cope with the modifications.

I'll submit a PR shortly and decision to merge (or improve) will be left at discretion.

Regards,
Jorge M. Oliveira

History

#1 - 03/18/2016 11:34 AM - Jorge M. Oliveira

Just a little correction to original post.

- 5) auth.inc line 208 - `get_configured_ipv6_addresses()` will return an array with NULL elements;
- 6) auth.inc line 209 - foreach will be executed but have no effect (each element NULL will implicitly cast to empty string).

PR: <https://github.com/pfsense/pfsense/pull/2764>

Regards,
Jorge M. Oliveira

#2 - 03/25/2016 12:34 AM - Chris Buechler

- Subject changed from *Unable to login on WebGUI over IPv6 linklocal due to 'An HTTP_REFERER was detected other than what is defined in System'* to *IPv6 link local fails HTTP REFERER check*
- Status changed from *New* to *Confirmed*
- Priority changed from *Normal* to *Low*
- Affected Version changed from *2.3* to *All*

#3 - 09/04/2016 09:57 AM - Jorge M. Oliveira

This PR has been merged a few months ago. Bug can be marked as resolved.