

pfSense - Bug #6510

Core files can fill up /var/run/

06/21/2016 10:23 AM - Jim Pingle

Status:	Resolved	Start date:	06/21/2016
Priority:	Normal	Due date:	
Assignee:	Jim Pingle	% Done:	100%
Category:	Operating System	Estimated time:	0.00 hour
Target version:	2.3.2	Affected Architecture:	
Affected Version:	All		

Description

In some cases, a process can crash and the resulting core file fills /var/run/ if that was the working directory for the process. We should set kern.corefile=/root/%N.core to make all core files write to /root/ rather than random hard-to-find places all over the filesystem.

To me, I have a working patch.

Associated revisions

Revision a08208f8 - 06/21/2016 10:23 AM - Jim Pingle

Set kern.corefile, fixes #6510

Revision 2e6a2bf5 - 06/21/2016 10:23 AM - Jim Pingle

Set kern.corefile, fixes #6510

Revision 4a304fbf - 06/21/2016 10:24 AM - Jim Pingle

Set kern.corefile, fixes #6510

History

#1 - 06/21/2016 10:30 AM - Jim Pingle

- Status changed from Assigned to Feedback

- % Done changed from 0 to 100

Applied in changeset [a08208f81bcb2812bdda07e21b501447fb350408](#).

#2 - 06/21/2016 11:37 PM - Chris Buechler

- Status changed from Feedback to Resolved

- Target version changed from 2.3.2 to 2.3.1-p6

works

#3 - 07/08/2016 12:44 AM - Chris Buechler

- Target version changed from 2.3.1-p6 to 2.3.2