

pfSense - Bug #7136

OpenVPN not binding to IP Aliases -> NO LOGS generated

01/18/2017 05:26 PM - James Webb

Status:	Resolved	Start date:	01/18/2017
Priority:	Very High	Due date:	
Assignee:		% Done:	100%
Category:	OpenVPN	Estimated time:	0.00 hour
Target version:	2.3.3	Affected Architecture:	
Affected Version:	2.4		

Description

Steps to replicate:

- Create an IP Alias on any interface e.g. 127.0.0.2 on Localhost
- Attempt to bind OpenVPN server to this interface on any port
- OpenVPN instance will not start and no logs are generated!

James Webb

Associated revisions

Revision ddf99718 - 01/19/2017 12:37 AM - Phillip Davis

Fix #7136 Start OpenVPN on ordinary VIP

Revision 9f8751b5 - 01/19/2017 06:26 AM - Phillip Davis

Fix #7136 Start OpenVPN on ordinary VIP

(cherry picked from commit ddf99718d5f1f4545483c39d3759dfbb788b0fb)

History

#1 - 01/19/2017 12:44 AM - Phillip Davis

Yes, the code does not even try to start such an OpenVPN instance, thus there are no logs.

This PR fixes it on my test VM:

<https://github.com/pfsense/pfsense/pull/3398>

But there might be other side-effects - it will need review.

#2 - 01/19/2017 06:30 AM - Phillip Davis

- Status changed from New to Feedback

- % Done changed from 0 to 100

Applied in changeset [ddf99718d5f1f4545483c39d3759dfbb788b0fb](https://github.com/pfsense/pfsense/pull/3398).

#3 - 01/19/2017 03:08 PM - Jim Pingle

- Status changed from Feedback to Resolved

Failed without the new code, works fine with the fix in place. Looks good.

#4 - 02/10/2017 10:23 AM - Jim Pingle

- Target version changed from 2.4.0 to 2.3.3