

pfSense - Bug #7428

Rule with empty port alias causes error loading rules

03/26/2017 03:20 AM - Phillip Davis

Status:	Resolved	Start date:	03/26/2017
Priority:	Normal	Due date:	
Assignee:	Phillip Davis	% Done:	0%
Category:	Rules/NAT	Estimated time:	0.00 hour
Target version:	2.3.4	Affected Architecture:	
Affected Version:	All		

Description

1) Create a port alias, but do not enter any ports in it (leave it empty)
2) Add a rule that uses that port alias
3) Apply
Message comes: "there were errors loading the rules"

History

#1 - 03/26/2017 03:30 AM - Phillip Davis

PR <https://github.com/pfsense/pfsense/pull/3670>

#2 - 03/27/2017 08:29 AM - Jim Pingle

The fix looks OK to me and the PR fixes the problem, I just want to get at least one more person here to look it over due to the changes involved.

#3 - 03/27/2017 08:35 PM - Phillip Davis

PRs merged:

<https://github.com/pfsense/pfsense/pull/3670> - code needed for fix

<https://github.com/pfsense/pfsense/pull/3677> - further refactoring to tidy up some names/structure

#4 - 03/27/2017 10:45 PM - Phillip Davis

Tested on latest 2.4-BETA and 2.3.4-DEVELOPMENT and this is fixed. Using an empty port alias in a rule causes the rule to be skipped and a notice sent.

#5 - 03/28/2017 07:31 AM - Jim Pingle

- Status changed from New to Resolved

Thanks!