

## pfSense - Bug #7569

### openvpn wizard reused settings cause wrong defaults

05/20/2017 09:57 AM - Jeremy C. Reed

<b>Status:</b>	Resolved	<b>Start date:</b>	05/20/2017
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jim Pingle	<b>% Done:</b>	100%
<b>Category:</b>	OpenVPN	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.4.0	<b>Affected Architecture:</b>	All
<b>Affected Version:</b>	All		

**Description**

wizards/openvpn\_wizard.xml  
This is a wizards behavior which can cause confusion or mistake.  
A wizard saves its settings to config.xml  
and if you use the wizard again it may prepopulate fields.

So if you use the wizard once to setup an LDAP server  
the later setup a RADIUS server, it may have the 389 port number  
(for LDAP) for the RADIUS port setup. Even though it has  
the correct number in note below, the common usage for pfSense is  
to prepopulate with defaults. In this case, the field is wrong.

#### Associated revisions

##### Revision 7120ef41 - 05/22/2017 01:16 PM - Jim Pingle

In the OpenVPN wizard, if the user chooses a different auth server type, clear out stored settings so the wizard does not pre-fill bad info. Fixes #7569

#### History

##### #1 - 05/22/2017 01:16 PM - Jim Pingle

- Category changed from VPN to OpenVPN
- Status changed from New to Assigned
- Assignee set to Jim Pingle
- Target version set to 2.4.0
- Affected Version set to All
- Affected Architecture set to All

##### #2 - 05/22/2017 01:17 PM - Jim Pingle

- Subject changed from openvpn wizard reused settings cause wrong defaults to openvpn wizard reused settings cause wrong defaults

##### #3 - 05/22/2017 01:30 PM - Jim Pingle

- Status changed from Assigned to Feedback
- % Done changed from 0 to 100

Applied in changeset [7120ef411c122e67f6585be13fb89daa9df9a152](#).

##### #4 - 06/15/2017 09:38 AM - Jim Pingle

- Status changed from Feedback to Resolved